




SPRING LOADED DOCK PLATE WORKSHEET FOR NON-POWERED EQUIPMENT APPLICATIONS

This form must be completed and submitted with all new application
Quotes/inquiries for spring loaded dock plates.



1. _____ Provide "A" dimension range: distance from inside of overhead dock door to the dock edge. Identify and provide dimensions for any protrusions from dock face that are level with the top of the dock surface (i.e. bumpers, rails, etc.) that exist in the width span of the desired dock plate location.

2. _____ Provide "B" dimension range: distance from dock edge to the truck floor, If a continuous protrusion exists along the dock face level with the dock surface, this dimension should be taken from the protrusion to the truck floor.
3. _____ Provide "C" dimension range: dock height.
4. _____ Provide "D" dimension range: truck floor height.
5. _____ Provide desired dock plate width and the narrowest truck door dimensions.
6. _____ Identify the type(s) of equipment used to travel across the dock plate: foot traffic, two wheel hand truck, etc. If any type of four wheel dolly/hand truck will be used, provide wheel base and under clearance of this equipment.

Wheelbase: _____ Under clearance: _____
7. _____ Provide the load capacity requirement for the dock plate in this application.

Site location: _____

Date Submitted: _____ Sales Person: _____

Dealer: _____ Phone: _____

City/State: _____ Fax _____